



RE111HTAB

Rugged Tablet PC



Windows



IP 65



GPS



High - capacity



Bluetooth



1D



2D



NFC



3G/4G



WiFi

★ FEATURES

- Support for Windows 10 system
- Integrated 3G/4G all network communication, WiFi, Bluetooth and other communication modes
 - 8000mAh battery, 6-8 hours of machine endurance
 - IP65 high protection level, in accordance with MIL-STD-810G
 - Optional GPS, QZSS, GLONASS, more accurate positioning
- Support 5 million pixel auto focus camera, easy to collect images and video information
- Support 1D/2D, NFC and other functional modules for free selection



RE111HTAB

Rugged Tablet PC



☆ PRODUCT VIEWS



☆ OPTIONAL ACCESORIES



Docking Charger



Hand-strap



Vehicle Mount



RE111HTAB

Rugged Tablet PC



SPECIFICATION

Basic parameters		Performance parameter	
Dimension	275.5 x 187.5 x 22mm	CPU	Intel Cherry Trail Z8350
Weight	device unit 1000g	OS	Windows 10
Device Color	black	RAM	2GB/4GB LPDDR3
LCD	10.1inch IPS 16:10, 800*1280	ROM	32GB/64GB/128GB
Touch Panel	multiple points Capacitive, G+G	Battery	
Camera	Front 2.0MP Rear 5.0MP	Capacity	3.7V/8000mAh
I/O	USB x 1, Micro USB x 1, SIM Card x 1, TF Card x 1, HDMI 1.4a x 1, 12pins Pogo Pin x 1, Φ3.5mm standard earphone jack x 1, Φ3.5mm DC jack x 1	Type	Built-in Li-polymer battery
Power	AC100V ~ 240V, 50Hz/60 Hz output DC 5V/3A	Endurance	8hrs (50% volume sounds, 50% brightness, 1080P HD video display by default)
GPS	Optional GPS, QZSS, glonass	Network connections	
Optional modules		WIFI	2.4G+5G dual frequency, WIFI 802.11(a/b/g/n/ac)
NFC	Support ISO/IEC 14443A/14443B/15693/ 18092/mifare protocol, Card reading distance:4cm	Bluetooth	BT4.2 (BLE) class1 transmission distance:10m
1D	MOTO SE655E100R, Optical Position: 5mil, Scan speed: 50 times/s	3G/4G	LTE FDD: B1/B3/B5/B7/B8/B20 LTE TDD: B38/B40/B41 WCDMA: B1/B2/B5/B8 GSM: 850/900/1800/1900MHz
2D	Honeywell N3680, Optical Position: 5mil, Scan speed: 50 times/s	Reliability	
		Operate Temperature	-10 °C ~ 50 °C
		Store Temperature	-20 °C ~ 60 °C
		Humidity	95% Non-Condensing
		IP Grade	IP65